

# STERLING

The strength of steel combined with an attractive wall pattern  
will create the backyard of your dreams.

*Available in 52" pool walls*



**HII** HOLLOWELL  
INDUSTRIES  
INCORPORATED

## Quality Features

- Rugged, baked enamel steel, 7" top rails and 7" steel verticals in a silver tone.
- Sophisticated, silver-toned colored resin top connectors.
- 52", hot dipped galvanized copper bearing steel wall.
- Compac oval support system allows larger pools to fit into smaller backyard settings. Plus, it is easy to install.
- Corrugated pool wall for flexibility and vertical strength.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Large, prepunched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- 20 year limited warranty on all pool components. The first two years of the pool product warranty are covered 100% against manufacturer defects. Remainder of each warranty is prorated.



## Available Sizes

Round: 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

# ELLIPSE

The strength of steel combined with an attractive wall pattern  
will create the backyard of your dreams.

*Available in 52" pool walls.*



**HII** HOLLOWELL  
INDUSTRIES  
INCORPORATED

## Quality Features

- Rugged, baked enamel 7" resin top rails and 7" steel verticals in a silver-tone.
- Sophisticated, silver-colored resin top connectors.
- 52", hot-dipped galvanized copper bearing steel wall in a soft elegant Ellipse pattern.
- Compac oval support system allows larger pools to fit into smaller backyard settings. Plus, it is easy to install.
- Corrugated pool wall for flexibility and vertical strength.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.

## Available Sizes

Round: 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

# SILVER INTERLUDE

A silver-tone pool frame blended with a unique pool wall pattern creates a pool designed to fit any backyard.

*Available in 52" pool walls*



**HI** HOLLOWELL  
INDUSTRIES  
INCORPORATED

## Quality Features

- Beautifully crafted 8" steel top rails and 8" steel verticals in a silver-tone color.
- 52", hot-dipped galvanized copper bearing steel wall.
- Compac oval support system allows larger pools to fit into smaller backyard settings. Plus, it is easy to install.
- Corrugated pool wall for flexibility and vertical strength.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- 30 Year Limited Warranty on all pool components. The first 3 years of our pool warranties are covered 100% against manufacturer defects (the remainder of each warranty is prorated). The bottom rails receive a Lifetime 100% warranty.



## Available Sizes

Round: 18', 21', 24', 27', 30'

Oval: 12' x 24', 15' x 30', 16' x 32', 18' x 33'

**IMPORTANT:**The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

**NOTE:** In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.


Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

# LINERS

## Quality Features

- Aqua-Tru liners are sealed using **Therma-Seal™ Technology** - a proprietary fusion method providing superior sealing for maximum durability and quality.
- **15 year limited warranty.** The first 3 years are covered 100% against manufacturer defects. The remainder of the warranty is prorated.
- The **Ultraviolet Inhibitors** protect the liner from the sun's rays and enhance longer life.
- Specially designed to be **wrinkle-free** when used for those economical, kick-in installations.
- Sidewalls and bottoms are manufactured to the same **thickness and weight.**
- Manufactured to a **"Tru" mil thickness.**

## E-Z CLIP™ LINERS PATTERNS



Pebble Springs



Blue Lagoon



Neptune



Trinity

# Liners: 100% Seam Warranty

## OVERLAP™ LINER PATTERNS




Caribbean Blue



Solid Blue



Harbor Lights



Pebble Springs



# FILTRATION SYSTEM



## 23" High Performance Filter Combo

- 23" tanks in black high-density polyethylene
- 7 position valve
- 6 ft cord
- Sand capacity—300 lbs.



## High Performance Pump

- 1½ HP
- 6' cord

# SKIMMERS

Is an easy, effective way to help maintain pool water. Features include: large skimmer opening, tough, corrosion-resistant leaf basket, vacuum hook-up and a high-efficiency skimming weir.



# ACCESSORIES



MAJESTIC STEP



ROYAL II STEP



FIESTA STEP



BILTMORE STEP



H2O STEP

## OPTIONAL LIGHT KITS



Optional Halogen Light  
Model #: 5-9025 LIGHT



Innovalite LED Light  
Model #: 5-9015 LIGHT



Innovalite Solor Light  
Model #: 5-9010 LIGHT