# LIFEGUARD CHARS

SR Smith

# Pool Better

# Lifeguard Chairs

CONTENTS	
Overview 2	
Chairs	

### Sentry<sup>®</sup> Lifeguard Chairs



Sentry® 30", 42", and 66" seat height lifeguard chairs

### **DESIGNED FOR SAFETY**

S.R.Smith offers a wide range of lifeguard stands, from traditional models to the Sentry<sup>™</sup> series, which features a stylish, outdoor furniture look. Portable and fixed models are available in a variety of heights and rotation ability. Each S.R.Smith lifeguard stand is designed to meet the logistical and safety needs of facilities from small hotel pools to large aquatic facilities.

#### **COMPLIANCE MATTERS**

The Occupational Health and Safety Administration (OSHA) has outlined minimum requirements for lifeguard chairs in public pools. To comply with OSHA, a lifeguard stand must have rails to protect against falls and sufficient room to ascend and descend from the chair.

### SPECIFYING MADE EASY

S.R.Smith lifeguard chairs are easy to add to proposals, with downloadable specifications and CAD available on our website.



30" Chair Wheel Kit

Model No. SLGC-30 SLGC-42 SLGC-66 SLGC-66-S

### S.R.SMITH LIFEGUARD CHAIRS AT A GLANCE

PRODUCT	STYLE	FRAME MATERIAL	ROTATION	SEAT HEIGHT	UMBRELLA HOLDER	PLATFORM DIMENSIONS
SENTRY	PORTABLE	HDPE*	Fixed	30", 42″ & 66"	Yes	N/A
VISTA	PORTABLE	304 SS	360°	6' & 8'	Yes	30" X 42"
STANDARD	PORTABLE	304 SS	45 <u>°</u>	6′	Yes	18″ X 42″
LOW PROFILE	PORTABLE	304 SS	360°	30", 42" & 54"	Yes	38" X 42"
O-SERIES	PORTABLE	304 SS	360º	30" & 42"	Yes	30" UPPER; 42" LOWER
OUTLOOK I & II	ANCHORED	304 SS	360º	5' & 6'	Yes	30" X 42"
INSTITUTIONAL	ANCHORED	304 SS	360°	6′	Yes	18″ X 42″
CANTILEVER	ANCHORED	304 SS	360º	6'	Yes	30" X 42"
GUARDIAN	ANCHORED	304 SS	360º	6'	Yes	30" X 42"

\*High-Density Polyethylene

42" & 66" Chair Wheel Kit

- 13-542 Hardware replacement kit for 42" chair

Designed to complement any aquatic environment, Sentry<sup>®</sup> Lifeguard Chairs provide an elegant look that will stand the test of time.

- Outdoor furniture style and appeal
- Constructed from HDPE for strength and low maintenance
- Marine grade, 316 stainless steel hardware
- Textured treads for slip resistant surface
- Wheel kits available to facilitate transport
- 30" chair comes with brackets for anchoring to pool deck
- 42" & 66" chairs are pre-drilled for concrete anchors\*
- 66" chair available with additional center support for high wind environments
- Cup & umbrella holders on all chairs
- UPS shippable
- Made in USA

·Anchors only included with SLGC-66

	Shipping — Class 70							
Description	٧	Veight	L	ength	1	Width	ŀ	leight
30" Sentry Lifeguard Chair		67 lbs		45"		19"		3"
42" Sentry Lifeguard Chair		95 lbs		54"		19"		4"
66" Sentry Lifeguard Chair	Boxes	95 lbs		54"		19"		4"
oo sentry Enegativa enan	⊼ B	70 lbs		78"		14"		3"
66" Sentry Lifeguard Chair	Boxes	110 lbs		54"		19"		4"
with center supports	2 B(	70 lbs		78"		14"		3"

#### **ACCESSORIES & REPLACEMENT PARTS**

- 13-501 30" chair anchor brackets (included)
- 13-502 30" wheel kit
- 13-503 42" & 66" wheel kit
- 13-504 Life Ring Hook
- 13-505 Concrete anchors for 42" & 66" chairs
- 13-530 Hardware replacement kit for 30" chair
- 13-566 Hardware replacement kit for 66" chair



Textùred

Tread

31.00

Anchor Brackets

Umbrella

Holder

Cup

Holder



Textured Tread

\_31.00

Drilled Anchor Holes

\_\_\_22.00 \_\_\_

### Low Profile Lifeguard Chair



- Portable unit features two wheels for the flexibility to move your lifeguard stations as needed
- Seat swivels 360° for a full view of the facility
- Footboard features a non-slip, white, sanded tread
- Handrails and seat post are 304 stainless steel

		S	hipping (3 b	oxes) — Class	125
Model No.	Description	Weight	Length	Width	Height
LPLS-330	30" Low Profile	150 lbs 68kg	26"/66cm 25"/64cm 60"/152cm	20"/51cm 20"/51cm 79"/201cm	11"/28cm 9"/23cm 8"/20cm
LPSL-342	42" Low Profile	155 lbs 70kg	26"/66cm 25"/64cm 60"/152cm	20"/51cm 20"/51cm 79"/201cm	11"/28cm 9"/23cm 8"/20cm
LPLS-354	54" Low Profile	160 lbs 72kg	26"/66cm 25"/64cm 60"/152cm	20"/51cm 20"/51cm 79"/201cm	11"/28cm 9"/23cm 8"/20cm

Rescue tube not included.

#### **REPLACEMENT PARTS**

- 13-111 Seat + Swivel
- 8-609 Seat Only
- A40703-0 Swivel Only • LTDF-103 Ladder Tread

- 13-145 Hardware Pack (For 54" Chair)
- 8-862 Wheel • 13-139 Hardware Pack (For 30" Chair)

- **30" LOW PROFILE**



TREAD COLOR

Custom colors available

38.00

WHITE

**TOP VIEW, ALL MODELS** 

42.00

19 50









Umbrella

Cup

Holde

Holder



ALL MEASUREMENTS SHOWN IN INCHES





ALL MEASUREMENTS SHOWN IN INCHES

LIFEGUARD CHAIRS

4

# 66" SENTRY LIFEGUARD CHAIR

54 16

8.25

#### • Available in 30", 42", or 54" seat heights

• Stainless steel for added corrosion resistance

- 8-710 Footboard (38" x 42")
- 13-109 Seat Post + Umbrella Holder
- 13-140 Hardware Pack (For 42" Chair)

#### 42" LOW PROFILE

#### 54" LOW PROFILE



### Standard Lifeguard Chair



- 6' tall at the seat
- Portable unit features two wheels for the flexibility to move your lifeguard stations as needed
- Seat swivels 45°
- Observation platform features a non-slip, white, sanded tread
- Handrails and seat post are 304 stainless steel
- Stainless steel for added corrosion resistance

		Shipping (3 boxes) — Class 125				
Model No.	Description	Weight	Length	Width	Height	
PLS-204	Standard Portable	157 lbs 71kg	80"/203cm 26"/66cm 25"/64cm	62.5"/160cm 20"/51cm 20"/51cm	7"/18cm 11"/28cm 9"/23cm	

• 8-862 Wheel

• X-104 Plastic End Caps

• 20-107L Left Wheel Bracket

• 20-107R Right Wheel Bracket

• 8-104 Plastic Rail End Plug

316L polished stainless steel is available.

### TREAD COLOR



Custom colors available

#### **REPLACEMENT PARTS** • 8-705 Footboard (18" x 42")

- 13-109 Seat Post + Umbrella Holder 13-130 Hardware Pack
- 13-111 Seat + Swivel
- 8-609 Seat Only
- A40703-0 Swivel Only
- LTDF-105 Ladder Tread
- FC-100A White Stabilizer Leg Cover



# Vista Lifeguard Chair

- Portable unit features two wheels for the flexibility to move your lifeguard stations as needed

		Shipping — Class 250					
Model No.	Description	Weight	Length	Width	Height		
US48500	6' Vista	206 lbs/93kg	90"/229cm	83"/211cm	16"/41cm		
US48550	8' Vista	250 lbs/113kg	116"/295cm	83"/211cm	16"/41cm		

#### **TREAD COLOR**





Custom colors available

- 8-609 Seat Only

- 8-862 Wheel









6

- Available in 6' or 8' seat heights
- Seat swivels 360° for a full view of your facility
- Observation platform features a non-slip, white, sanded tread
- Handrails and seat post are 304 stainless steel
- Stainless steel for added corrosion resistance

#### **REPLACEMENT PARTS**

- 8-612 Footboard (30" x 42")
- 13-117 Seat Post
- 13-111 Seat + Swivel
- A40703-0 Swivel Only
- S2470-102 Ladder Tread + Hardware
- FC-100 White Stabilizer Leg Cover
- 69-209-106 Hardware Pack (6' Vista)
- 69-209-109 Hardware Pack (8' Vista)

### Cantilever Lifeguard Chair



#### TREAD COLOR



Custom colors available

- 6' tall at the seat
- Permanent unit features a slim design that requires minimal deck space
- Seat swivels 360° for a full view of facility
- Extended observation platform features a non-slip, white, sanded tread
- Handrails and seat post are 304 stainless steel
- The support column is primed and ready for a high quality paint topcoat\*
- \* We recommend a high-quality acrylic urethane enamel for a durable finish

		Shipping (3 boxes) — Class 125				
Model No.	Description	Weight	Length	Width	Height	
PLS-204	Standard Portable	315 lbs 143kg	65"/165cm 25"/64cm 24"/61cm	21"/53cm 20"/51cm 22"/56cm	25.5"/65cm 10"/25cm 21"/53cm	

#### **REPLACEMENT PARTS**

- 13-101 Support Column
- 8-602 Footboard (30" x 42")
- 13-124 Seat Post + Umbrella Holder
- 13-119 Seat, includes Mounting Plate + Swivel, includes Hardware
- 6-621 Step Adhesive
- 8-610 Seat Only
- A40703-0 Swivel Only
- 13-104 Handrail + Hardware
- 13-103 Anchor + Mounting Hardware



- Extended observation platform features a non-slip, white, sanded tread



#### TREAD COLOR



Custom colors available







8



• 6' tall at the seat

- Permanent unit features a slim design that requires minimal
- Seat swivels 360° for a full view of your facility
- Handrails and seat post are 304 stainless steel
- Stainless steel for added corrosion resistance

	Shipping — Class 250						
escription	Weight	Length	Width	Height			
Guardian	135 lbs/61kg	100"/254cm	39"/99cm	28"/71cm			

#### **REPLACEMENT PARTS**

- 13-116 Support Column
- 8-706 Footboard (18" x 42")
- 13-109 Seat Post + Umbrella Holder
- 13-111 Seat + Swivel
- 8-609 Seat Only
- A40703-0 Swivel Only
- S2470-102 Ladder Tread + Hardware
- S2823-17 Anchor Jig Assembly



### Institutional Lifeguard Chair



- 6' tall at the seat
- Permanent unit also makes an ideal coaching or judging stand
- Seat swivels 360° so you can quickly scan entire pool and deck
- Extended observation platform features a non-slip sanded tread
- Handrails and seat post are 304 stainless steel
- Stainless steel for added durability and corrosion resistance

		Shipping (3 boxes) — Class 70				
Model No.	Description	Weight	Length	Width	Height	
ILGS-205	6' Instututional	150 lbs 68kg	84"/213cm 25"/64cm 24"/61cm	25"/64cm 20"/51cm 20"/51cm	8"/20cm 11"/28cm 11"/28cm	

Anchor sockets and escutcheons are ordered separately

#### **REPLACEMENT PARTS**

- 8-720 Footboard (18" x 42")
- 13-109 Seat Post + Umbrella Holder
- 13-111 Seat + Swivel
- 8-609 Seat Only
- A40703-0 Swivel only
- LTDF-103 Ladder Tread
- 13-120 Hardware Pack
- AS-100B Anchor Assembly



## Outlook I & II Lifeguard Chairs



Outlook I Lifeguard Chair

#### Lifeguard Model No. Chair US48500 6' ( US48550 5'

### FRAME COLOR



#### **TREAD COLOR**



Custom colors available

• 13-122-SG Support Column (Outlook I) • LTDF-106 Ladder Tread (Outlook I) • 13-121-SG Support Column (Outlook II) • S2470-102 Ladder Tread + Hardware • 8-613 Footboard (30" x 42" Outlook I) • 8-614 Footboard (30" x 42" Outlook II) • 27-102 Anchor Assembly (Outlook I) • 13-118-SG Seat Post

- 13-111 Seat + Swivel • 8-609 Seat Only
- 20-116 Umbrella Holder
- A40703-0 Swivel Only

#### **OUTLOOK I LIFEGUARD CHAIR**



#### **OUTLOOK II LIFEGUARD CHAIR**



LIFEGUARD CHAIRS

10

• Outlook I is 6' tall at the seat, Outlook II is 5' tall at the seat • Permanent units feature a slim design that require minimal deck space

• Seats swivel 360° for full view of entire pool and deck

- Extended observation platforms feature a non-slip, white, sanded tread
- Handrails and seat post are 304 stainless steel
- Stainless steel bases are powder-coated in silver gray for corrosion resistance

	Shipping (2 boxes) — Class 125						
escription	Weight	Length	Width	Height			
Outlook I	171 lbs	91"/231cm	35"/89cm	11.5"/29cm			
	78kg	10"/25cm	10"/25cm	8"/20cm			
Outlook II	156 lbs	91"/231cm	35"/89cm	11.5"/29cm			
	71kg	10"/25cm	10"/25cm	8"/20cm			

#### **REPLACEMENT PARTS**

- (Outlook II)
- 27-103 Anchor Assembly (Outlook II)
- 69-209-107 Hardware Pack (Outlook I)
- 69-209-108 Hardware Pack (Outlook II)
- 8-104 Plastic Rail End Cap
- 74-185-186NH 22"x22" Platform (no holes)





### Pool Better



A Fluidra Brand | srsmith.com | 800.824.4387

o part of this may be copied or reproduced without the expressed written consent of S.R.Smith, LLC ©Copyright 2022 S.R.Smith, LLC. All rights reserved. | M-E-BRO-175 5M 0822